


FENCING


CHAIN LINK NETTING

Note: xxxx represents the roll width


Galvanised Chain Link Netting				
Code	Aperture	Wire Thickness	Width	Approx Weight (kg)
	Width A, mm	Thickness T, mm		
CLNG25250xxxx	25	2.50	Up to 4.6m	3.49
CLNG50250xxxx	50	2.50	Up to 4.6m	1.72
CLNG50315xxxx	50	3.15	Up to 4.6m	2.62



Zinc/Aluminium Chain Link Netting				
Code	Aperture	Wire Thickness	Width	Approx Weight (kg)
	Width A, mm	Thickness T, mm		
CLNZA50250xxxx	50	2.50	Up to 4.6m	1.72
CLNZA50315xxxx	50	3.15	Up to 4.6m	2.62





Fusion Bonded Black Chain Link Netting					
Code	Aperture	Wire Thickness		Width	Approx Weight (kg)
	Width A, mm	Core mm	OD mm		
CLNFB25250xxxx	25	2.5	3.0	Up to 4.6m	4.22
CLNFB50250xxxx	50	2.5	3.0	Up to 4.6m	1.88




Note: X represents coating colour - B=black, G=green, O=orange, W=white

PVC Coated Chain Link Netting					
Code	Aperture	Wire Thickness		Width	Approx Weight
	Width W	Core mm	OD mm		
CLNPX25220xxxx	25	2.2	3.1	Up to 4.6m	2.98
CLNPX50220xxxx	50	2.2	3.1	Up to 4.6m	1.63
CLNPX50315xxxx	50	3.2	4.2	Up to 4.6m	2.94




FENCING


TUBE CLAMP



Tube Clamp Short Tee - Type 101				
Code	Pipe Size		Dimension A (mm)	Approx Weight (PC)
	NB	OD		
TC101020	20	26.9	41	0.19
TC101025	25	33.7	46	0.30
TC101032	32	42.4	60	0.46
TC101040	40	48.3	68	0.55
TC101050	50	60.3	84	0.85



Tube Clamp Long Tee - Type 104					
Code	Pipe Size		Dimensions (mm)		Approx Weight (PC)
	NB	OD	A	B	
TC104020	20	26.9	41	82	0.35
TC104025	25	33.7	46	92	0.49
TC104032	32	42.4	60	120	0.79
TC104040	40	48.3	68	136	0.93
TC104050	50	60.3	84	168	1.51




Tube Clamp 3 Way Through - Type 116				
Code	Pipe Size		Dimension A (mm)	Approx Weight (PC)
	NB	OD		
TC116020	20	26.9	40	0.27
TC116025	25	33.7	48	0.40
TC116032	32	42.4	60	0.61
TC116040	40	48.3	68	0.72
TC116050	50	60.3	86	1.16

FENCING

TUBE CLAMP


Tube Clamp 2 Socket Cross - Type 119

Code	Pipe Size		Dimension (mm)		Approx Weight (PC)
	NB	OD	A	B	
TC119020	20	26.9	40	80	0.27
TC119025	25	33.7	48	96	0.37
TC119032	32	42.4	60	120	0.62
TC119040	40	48.3	67.5	135	0.71
TC119050	50	60.3	84	168	1.15




Tube Clamp Variable Elbow 15°-60° - Type 124

Code	Pipe Size		Dimension A (mm)	Approx Weight (PC)
	NB	OD	B	
TC124025	25	33.7	40	0.38
TC124032	32	42.4	47.5	0.62
TC124040	40	48.3	44	0.63




Tube Clamp 2 Way 90° Elbow - Type 125

Code	Pipe Size		Dimension A (mm)	Approx Weight (PC)
	NB	OD	A	
TC125020	20	26.9	41	0.24
TC125025	25	33.7	46	0.36
TC125032	32	42.4	60	0.59
TC125040	40	48.3	68	0.69
TC125050	50	60.3	84	1.12




FENCING


TUBE CLAMP



Tube Clamp 3 Way 90° Elbow - Type 128				
Code	Pipe Size		Dimension A (mm)	Approx Weight (PC)
	NB	OD		
TC128020	20	26.9	40	0.35
TC128025	25	33.7	48	0.50
TC128032	32	42.4	60	0.80
TC128040	40	48.3	68	0.98
TC128050	50	60.3	85	1.67



Tube Clamp Base Flange - Type 131							
Code	Pipe Size		Dimension (mm)				Approx Weight (PC)
	NB	OD	A	B	C	D	
TC131020	20	26.9	42	83	57	8.0	0.29
TC131025	25	33.7	48	89	65	6.5	0.46
TC131032	32	42.4	50	102	76	6.5	0.61
TC131040	40	48.3	59	114	88.5	6.5	0.84
TC131050	50	60.3	64	127	95	9.5	0.98




Tube Clamp Railing Base Clamp - Type 132							
Code	Pipe Size		Dimension (mm)				Approx Weight (PC)
	NB	OD	A	B	C	D	
TC132020	20	26.9	105	60	76	52	0.40
TC132025	25	33.7	127	71	89	62	0.64
TC132032	32	42.4	139	84	101	72	0.85
TC132040	40	48.3	152	89	114	86	1.15
TC132050	50	60.3	165	104	127	96	1.50


FENCING

TUBE CLAMP


Tube Clamp - Clamp on Tee 135				
Code	Pipe Size		Dimension A (mm)	Approx Weight (PC)
	OD	A		
TC135020	20	26.9	50	0.27
TC135025	25	33.7	53	0.32
TC135032	32	42.4	67	0.65




Tube Clamp Gate Eye - Type 138						
Code	Pipe Size		Dimensions (mm)			Approx Weight (PC)
	NB	OD	A	B	C	
TC138020	20	26.9	30	25	14	0.16
TC138025	25	33.7	33	25	14	0.18
TC138032	32	42.4	38	25	14	0.21
TC138040	40	48.3	41	25	14	0.22



Tube Clamp Short Swivel Tee - Type 148				
Code	Pipe Size		Dimensions A (mm)	Approx Weight (PC)
	NB	OD		
TC148020	20	26.9	53	0.26
TC148025	25	33.7	59	0.18
TC148032	32	42.4	73	0.27
TC148040	40	48.3	93	0.42
TC148050	50	60.3	110	




Tube Clamp Ground Socket - Type 134					
Code	Pipe Size		Dimension (mm)		Approx Weight (PC)
	NB	OD	A	B	
TC134032	32	42.4	136	140	2.46
TC134040	40	48.3	136	140	2.47
TC134050	50	60.3			2.21




FENCING


TUBE CLAMP




Tube Clamp Gate Hinge - Type 138							
Code	Pipe Size		Dimension (mm)				Approx Weight (PC)
	NB	OD	A	B	C	D	
TC140020	20	26.9	30	25	12.6	38	0.21
TC140025	25	33.7	33	25	12.6	38	0.27
TC140032	32	42.4	38	25	12.6	38	0.30
TC140040	40	48.3	41	25	12.6	38	0.31



Tube Clamp Handrail Bracket - Type 143						
Code	Pipe Size		Dimensions (mm)			Approx Weight (PC)
	NB	OD	A	B	C	
TC143020	20	26.9	55	44	57	0.30
TC143025	25	33.7	57	44	62	0.35
TC143032	32	42.4	63	44	76	0.45
TC143040	40	48.3	67	50	82.5	0.56



Tube Clamp Internal Swivel Tee - Type 147						
Code	Pipe Size		Dimension (mm)			Approx Weight (PC)
	NB	OD	A	B	C	
TC147025	25	33.7	23	34	29	0.31
TC147032	32	42.4	26	42	37	0.43
TC147040	40	48.3	30	48	48	0.53




Tube Clamp Sleeve Joint - Type 149				
Code	Pipe Size		Dimension A (mm)	Approx Weight (PC)
	NB	OD		
TC149020	20	26.9	76	0.27
TC149025	25	33.7	89	0.39
TC149032	32	42.4	102	0.55
TC149040	40	48.3	102	0.56
TC149050	50	60.3	120	0.88


FENCING

TUBE CLAMP


Tube Clamp Internal Joint - Type 150					
Asmuss Code	Pipe Size		Dimensions (mm)		Approx Weight (PC)
	NB	OD	A	B	
TC150020	20	26.9	76	22	
TC150025	25	33.7	78	20	0.24
TC150032	32	42.4	78	20	0.34
TC150040	40	48.3	78	20	0.41




Tube Clamp 90° Crossover - Type 161					
Asmuss Code	Pipe Size		Dimensions (mm)		Approx Weight (PC)
	NB	OD	A	B	
TC161020	20	26.9	38	31.5	0.20
TC161025	25	33.7	41	38.5	0.29
TC161032	32	42.4	50	45	0.46
TC161040	40	48.3	50	55	0.54



Tube Clamp 90° Corner Swivel Male Section - Type 168M				
Asmuss Code	Pipe Size		Dimensions (mm)	Approx Weight (PC)
	OD	A	B	
TC168M025	25	33.7	43.5	0.45
TC168M032	32	42.4	48	0.47
TC168M040	40	48.3	53	0.45




Tube Clamp Double Swivel Combination - Type 167					
Code	Pipe Size		Dimension (mm)		Approx Weight (PC)
	NB	OD	A	B	
TC167025	25	33.7	86	61	1.06
TC167032	32	42.4	95	69	1.30
TC167040	40	48.3	100	77	1.49




FENCING


TUBE CLAMP




Tube Clamp Double Male Section Of Swivel - Type 167M					
Code	Pipe Size		Dimension (mm)		Approx Weight (PC)
	NB	OD	A	B	
TC167M025	25	33.7	40	86	0.28
TC167M032	32	42.4	45	95	0.44
TC167M040	40	48.3	48	105	0.45



Tube Clamp Swivel Base - Type 169					
Code	Pipe Size		Dimensions (mm)		Approx Weight (PC)
	OD	A	B	C	
TC169020	20	26.9	32	58.5	0.58
TC169025	25	33.7	32	61	0.71
TC169032	32	42.4	32	69	0.81
TC169040	40	48.3	32	77	0.88



Tube Clamp Single Swivel Combination - Type 173					
Code	Pipe Size		Dimensions (mm)		Approx Weight (PC)
	NB	OD	A	B	
TC173020	20	26.9	38	58.5	0.38
TC173025	25	33.7	43.5	61	0.60
TC173032	32	42.4	47	69	0.77
TC173040	40	48.3	53	77	0.86
TC173050	50	60.3	62	90.5	1.21




Tube Clamp Side Outlet Tee - Type 176				
Code	Pipe Size		Dimension (mm)	Approx Weight (PC)
	NB	OD	A	
TC176020	20	26.9	40	0.34
TC176025	25	33.7	46	0.48
TC176032	32	42.4	60	0.73
TC176040	40	48.3	68	0.90
TC176050	50	60.3	84.5	1.44


FENCING

A-CLAMP FENCE FITTINGS


A-Clamp Rail Clamp					
Code	Dimensions (mm)				Approx Weight (PC)
	Butt	A	B	Bolt	
ACFURAILC/025	25	89	48	M10x75	0.35
ACFURAILC/032	32	103	57	M10x75	0.4
ACFURAILC/040	40	102	56	M10x75	0.46
ACFURAILC/050	50	109	60	M10x80	0.55



A-Clamp Post Clamp					
Code	Dimensions (mm)				Approx Weight (PC)
	Thru	A	B	Bolt	
ACUFPOSTC/025	25	50	80	M10x20	0.18
ACUFPOSTC/032	32	59	90	M10x20	0.225
ACUFPOSTC/040	40	64	96	M10x20	0.225
ACUFPOSTC/050	50	76	110	M10x20	0.25
ACUFPOSTC/065	65	92	124	M10x20	0.3
ACUFPOSTC/080	80	105	137	M10x20	0.35
ACUFPOSTC/100	100	130	161	M10x30	0.45




A-Clamp Fixed Corner								
Code	Dimensions (mm)							Approx Weight (PC)
	Thru	Butt	Bolt	A	B	C	D	
ACCOR/015	15	15	M6X45	36	62	17	31	0.26
ACCOR/020	20	20	M8X50	47	71	21	33	0.35
ACCOR/025	25	25	M8X60	59	79	24	35	0.45
ACCOR/032	32	32	M10X75	64	100	32	48	0.6
ACCOR/040	40	40	M10X80	71	104	36	45	1
ACCOR/050	50	50	M12X100	90	120	42	52	1.8
ACCOR/040X025	40	25	M10X60	57	80	25	36	0.53
ACCOR/050X032	50	32	M10X80	70	104	33	51	1.1
ACCOR/050X040	50	40	M10X85	79	104	35	45	1.1




FENCING

A-CLAMP FENCE FITTINGS



A-Clamp Fixed Tee								
Code	Dimensions (mm)							Approx Weight (PC)
	Thru	Butt	Bolt	A	B	C	D	
ACTE/015	15	15	M6X45	33	56	16	26	0.008
ACTE/020	20	20	M8X50	38	67	21	28	0.15
ACTE/025	25	25	M8X60	43	74	24	29	0.22
ACTE/032	32	32	M10X70	65	96	28	40	0.4
ACTE/040	40	40	M10X80	76	114	34	50	0.55
ACTE/050	50	50	M10X90	84	130	39	54	0.95
ACTE/020X025	20	25	M8X60	44	65	24	25	0.21
ACTE/025X020	25	20	M8X60	40	70	21	25	0.18
ACTE/025X032	25	32	M10X70	65	81	28	33	0.35
ACTE/025X040	25	40	M10X80	77	97	32	47	0.5
ACTE/032X025	32	25	M10X60	57	97	27	41	0.35
ACTE/032X040	32	40	M10X80	77	110	32	51	0.55
ACTE/032X050	32	50	M10X90	83	111	38	53	0.8
ACTE/040X025	40	25	M10X60	62	100	30	38	0.37
ACTE/040X032	40	32	M10X70	66	107	31	45	0.47
ACTE/040X050	40	50	M10X90	83	118	38	51	0.9
ACTE/050X025	50	25	M10X60	62	11	63	73	0.42
ACTE/050X032	50	32	M10X70	69	12	33	74	0.53
ACTE/050X040	50	40	M10X80	75	12	73	95	0.8
ACTE/065X050	65	50	M12X100	89	157	47	63	1.2
ACTE/080X032	80	32	M10X80	69	161	53	56	0.95
ACTE/080X040	80	40	M10X85	76	162	55	53	1.05
ACTE/080X050	80	50	M12X100	89	170	55	62	1.3





A-Clamp Round Flange			
Code	Dimensions (mm)		Approx Weight (PC)
	A	B	
ACFLR/032	16	130	0.24
ACFLR/040	18	130	0.24
ACFLR/050	20	130	0.36



FENCING

A-CLAMP FENCE FITTINGS

A-Clamp Fixed Cross								
Code	Dimensions (mm)							Approx Weight (PC)
	Thru	Butt	Bolt	A	B	C	D	
ACCR/020	20	20	M8X50	47	111	21	34	0.26
ACCR/025	25	25	M8X60	52	123	24	36	0.45
ACCR/032	32	32	M10X70	65	148	28	41	0.66
ACCR/040	40	40	M10X80	77	151	33	40	0.7
ACCR/050	50	50	M12X100	89	195	41	55	0.9
ACCR/025X020	25	20	M8X60	46	110	24	29	0.32
ACCR/032X025	32	25	M10X60	57	142	28	37	0.56
ACCR/040X025	40	25	M10X60	60	154	30	41	0.53
ACCR/040X032	40	32	M10X75	63	150	32	40	0.56
ACCR/050X032	50	32	M10X75	68	177	88	43	0.93
ACCR/050X040	50	40	M10X85	76	186	38	50	0.55
ACCR/065X050	65	50	M12X100	91	232	48	63	1.05




A-Clamp Round Post Cap				
Code	Dimensions (mm)		Finish	Approx Weight (PC)
	A	B		
ACCA/020	27	20	GALVABOND	0.02
ACCA/025	34	30	GALVABOND	0.04
ACCA/032	43	30	GALVABOND	0.08
ACCA/040	49	30	GALVABOND	0.06
ACCA/050	60	30	GALVABOND	0.1
ACCA/065	77	37	GALVABOND	0.2
ACCA/080	89	40	GALVABOND	0.22
ACCA/100	114	43	GALVABOND	0.32
ACCA/125	140	40	GALVABOND	0.36
ACCA/150	165	40	GALVABOND	0.4
ACCA/200	219	40	GALVABOND	




FENCING


A-CLAMP FENCE FITTINGS



A-Clamp Round Post Cap					
Code	Dimensions (mm)			Finish	Approx Weight (PC)
	SHS Size	A	B		
ACCARHS/035	35X35	35	24	GALVABOND	0.03
ACCARHS/040	40X40	40	26	GALVABOND	0.03
ACCARHS/050	50X50	50	28	GALVABOND	0.05
ACCARHS/065	65X65	65	32	GALVABOND	0.07
ACCARHS/075	75X75	75	32	GALVABOND	0.11
ACCARHS/090	89X89	90	32	GALVABOND	0.17
ACCARHS/100	100X100	100	32	GALVABOND	0.3
ACCARHS/125	125x125	125		GALVABOND	
ACCARHS/150	150x150	150		GALVABOND	



A-Clamp Plastic Round Post Cap					
Code	Dimensions (mm)				Approx Weight (PC)
	A	B	C	D	
FECAPPVC/020					
FECAPPVC/025	20.7	6	33.7	22.2	0.63
FECAPPVC/032	24.7	7.4	42.4	30.9	0.83
FECAPPVC/040	27.2	8.5	48.3	34.6	1.1
FECAPPVC/050	30.7	10.5	59.4	46.3	1.5
FECAPPVC/065	35.4	14	74.5	46.1	1




A-Clamp Oval Flange						
Code	Dimensions (mm)					Approx Weight (PC)
	A	B	C	D	E	
ACFLOV/025	108	61	4	14	83	0.13
ACFLOV/032	123	75	4	16	97	0.22
ACFLOV/040	128	81	5	18	102	0.25
ACFLOV/050	145	98	5	21	113	0.35

FENCING

A-CLAMP FENCE FITTINGS


A-Clamp Square Flange

Asmuss Code	Dimensions (mm)		Approx Weight (PC)
	A	B	
ACFLSQ/032	100	19	0.4
ACFLSQ/040	100	21	0.37
ACFLSQ/050	130	21	0.64



A-Clamp Square SHS Flange

Asmuss Code	SHS Size (mm)	Dimensions (mm)	Approx Weight (PC)
		A	
ACFLSQSHS/032	50X50	51X51	0.52




Pipe Sleeves - External Fitment

Asmuss Code	Pipe	Length	Approx Weight (PC)
PWS/020	20	150	4.7
PWS/025	25	150	5.5
PWS/032	32	200	9
PWS/040	40	200	6
PWS/050	50	200	6




FENCING


GATE HARDWARE



Centreband					
Code	Pipe Size		Dimension A (mm)	Bolt	Approx Weight (PC)
	NB	OD			
FECBW/025	25	33.7	40	M10x50	0.13
FECBW/032	32	42.4	40	M10x50	0.12
FECBW/040	40	48.3	40	M10x50	0.16
FECBW/050	50	60.3	40	M10x60	0.17
FECBW/065	65	76.1	40	M10x60	0.21
FECBW/080	80	88.9	40	M10x60	0.22
FECBW/100	100	114.3	40	M10x60	0.49
FECBW/125	125	139.7	40	M10x30	0.37
FECBW/150	150	165.1	40	M10x60	0.37



Centreband With Gudgeon						
Code	Pipe Size		Dimension (mm)		Bolt	Approx Weight (PC)
	NB	OD	A	Gudgeon Dia.		
FECBWGUD/02516	25	33.7	40	16	M10x50	0.28
FECBWGUD/03216	32	42.4	40	16	M10x50	0.28
FECBWGUD/04016	40	48.3	40	16	M10x50	0.49
FECBWGUD/05016	50	60.3	40	16	M10x60	0.33
FECBWGUD/040	40	48.3	40	20	M10x50	0.49
FECBWGUD/050	50	60.3	40	20	M10x60	0.70
FECBWGUD/065	65	76.1	40	20	M10x60	0.74
FECBWGUD/080	80	88.9	40	20	M10x60	0.79
FECBWGUD/100	100	114.3	40	20	M10x60	0.87
FECBWGUD/125	125	139.7	40	20	M10x30	0.92
FECBWGUD/150	150	165.1	40	20	M10x60	1.03



Galvanised Temporary Fence Clamps			
Code	Pipe Size (mm)		Approx Weight (PC)
	NB	OD	
FEVERTC/025X025	25 x 25	33.7 x 33.7	0.37
FEVERTC/032X032	32 x 32	42.4 x 42.4	0.38
FEVERTC/040X040	40 x 40	48.3 x 48.3	
FEVERTC/050X050	50 x 50	60.3 x 60.3	



FENCING

FENCING

GATE HARDWARE

Standard Latches

Code	Description
FELATCHSCREW	Screw On 'D' Latch
FELATCHWELD	Weld On 'D' Latch
FELATCHBOW/025	25mm Bow Latch
FELATCHBOW/032	32mm Bow Latch



Safety Latches

Code	Description	A	B	Approx Weight (PC)
FEMLONG	Magna Latch Long Vertical Pull	515	86	0.67
FEMLSHORT	Magna Latch Short Vertical Pull	260	86	0.51
FEMLSIDEPULL	Magna Latch Side Pull	60	78	0.2





Safety Fencing

Code	Description	Max Gate (KG)	Dimensions (mm)			Approx Weight (PC)
			Legs	Size	Leaf	
FETCA1/L2PR	Pair of TRUCLOSE self closign hinges HINGES	25	2			0.13
FECHD1-L1/PR	Pair of heavy duty S / closing hinges – wide	60	1	125x87mm	34/34mm	
FECHD1A-L1/PR	Pair of heavy duty S / closing hinges – narrow	60	1	125x120mm	50/58mm	0.26



Weld On Gudgeon And Lug

Code Gudgeon	Code Lug	Dimensions (mm)	Approx Weight (PC)
		A	
FEGUSW/016		16	0.15
FEGUSW/020		20	0.39
	FELU/016	16	0.05
	FELU/020	20	0.17



FENCING


WIRE AND ACCESSORIES



Soft Wire				
Code	Description	Finish	KG per Metre	Metres Per KG
WIGS160	1.6mm Heavily Galvanised Soft Wire	Galvanised	0.0158	63.36
WIGS200	2.0mm Heavily Galvanised Soft Wire	Galvanised	0.0247	40.55
WIGS250	2.5mm Heavily Galvanised Soft Wire	Galvanised	0.0385	35.95
WIGS280	2.8mm Heavily Galvanised Soft Wire	Galvanised	0.0483	20.69
WIGS315	3.15mm Heavily Galvanised Soft Wire	Galvanised	0.0612	16.35
WIGS400	4.0mm Heavily Galvanised Soft Wire	Galvanised	0.0986	10.14
WIPB220	2.2mm Core HG Soft Wire PVC Coated 3.1mm OD	Black PVC	0.0299	33.50
WIPB315	3.15mm Core HG Soft Wire PVC Coated 4.2mm OD	Black PVC	0.064	15.63
WIPG160	1.6mm Core HG Soft Wire PVC Coated 2.0mm OD	Green PVC	0.0184	54.35
WIPG200	2.0mm Core HG Soft Wire PVC Coated 2.5mm OD	Green PVC	0.0247	40.50
WIPG220	2.2mm Core HG Soft Wire PVC Coated 3.1mm OD	Green PVC	0.0299	33.50
WIPG250	2.5mm Core HG Soft Wire PVC Coated 3.6mm OD	Green PVC	0.0385	26.00
WIPO220	2.2mm Core HG Soft Wire PVC Coated 3.1mm OD	Orange PVC	0.0299	33.50
WIPW200	2.0mm Core HG Soft Wire PVC Coated 2.5mm OD	White PVC	0.0247	40.50



High Tensile Wire - Galvanised			
Code	Description	KG per Metre	Metres Per KG
WIGH25025	2.50mm HT galvanised wire x 25kg coil	0.0385	25.91
WIGH31525	3.15mm HT galvanised wire x 25kg coil	0.0612	16.35



Lacing Needle		
Code	Description	Finish
WILNGS160	1.6mm Heavily Galvanised Soft Wire Lacing Needle	Galvanised
WILNGS200	2.0mm Heavily Galvanised Soft Wire Lacing Needle	Galvanised
WILNPB160	1.6mm Core HG Soft Wire PVC Coated 2.0mm OD Lacing Needle	Black PVC
WILNPB220	2.2mm Core HG Soft Wire PVC Coated 3.1mm OD Lacing Needle	Black PVC

FENCING

WIRE AND ACCESSORIES

Barbed Wire			
Code	Description	Length (M)	Weight KG/Coil
WIBARS/075	75mm barbed wire - standard	240	25
WIBARS/150	150mm barbed wire - standard	260	25
WIBARHT/100	100mm barbed wire - high tensile	500	25
WIBARHT/150	150mm barbed wire - high tensile	500	23



Bag Ties And Tools			
Code	Description	Pieces Per Bundle	Weight KG/Bundle
FETOBAG	Bag Tie Tool	EACH	
FETOBAGHD	Bag Tie Tool - Heavy Duty	EACH	
BTG1/110	110mm x 6 Galvaised Bag Ties	1000	3.12
BTG1/150	150mm x 5 Galvaised Bag Ties	1000	4.2
BTG1/200	200mm x 5 Galvaised Bag Ties	1000	4.4
BTG1/230	230mm x 3 Galvaised Bag Ties	1000	5.2
BTG1/250	250mm x 3 Galvaised Bag Ties	1000	5.74
BTG1/300	300mm x 2 Galvaised Bag Ties	1000	7.09



Ring Fastners and Tool		
Code	Description	Sales Unit
FETORING	Ring Fastners Gun	Each
FEFARING/RP22	Ring Fastner RP22 galvanised	1000 / PKT
FEFARING/SS	Stainless Steel Ring Fastners RP22	1000 / PKT



Wire Strainers		
	Description	Sales Unit
FETOSTRCL	Cliplock Wire Strainer	25 / PKT
FETOSTR	Ratchet Cliplock Wire Strainer	Each
FEFLWJ	Fastlock Wire Joiner	20 / PKT

