


PIPE

SEAMLESS LINE PIPE




Seamless Line Pipe API 5L GR.B / ASTM A53 GR.B / ASTM A106 GR.B						
Code	Pipe Schedule	NB	OD	WT	Weight	Length 6.0m
LP040010	Sch 40 / STD	10	17.1	2.31	0.85	•
LP040015	Sch 40 / STD	15	21.3	2.77	1.27	•
LP080015	Sch 80 / XS	15	21.3	3.73	1.62	•
LP160015	Sch 160	15	21.3	4.77	1.94	•
LP040020	Sch 40 / STD	20	26.7	2.78	1.69	•
LP080020	Sch 80 / XS	20	26.7	3.91	2.2	•
LP160020	Sch 160	20	26.7	5.56	2.89	•
LP040025	Sch 40 / STD	25	33.4	3.38	2.5	•
LP080025	Sch 80 / XS	25	33.4	4.55	3.24	•
LP160025	Sch 160	25	33.4	6.35	4.23	•
LP040032	Sch 40 / STD	32	42.2	3.56	3.39	•
LP080032	Sch 80 / XS	32	42.2	4.85	4.47	•
LP160032	Sch 160	32	42.2	6.35	5.6	•
LP040040	Sch 40 / STD	40	48.3	3.68	4.06	•
LP080040	Sch 80 / XS	40	48.3	5.08	5.41	•
LP160040	Sch 160	40	48.3	7.13	7.23	•
LP040050	Sch 40 / STD	50	60.3	3.91	5.44	•
LP080050	Sch 80 / XS	50	60.3	5.54	7.48	•
LP160050	Sch 160	50	60.3	7.73	10.02	•
LP040065	Sch 40 / STD	65	73	5.16	8.63	•
LP080065	Sch 80 / XS	65	73	7.01	11.41	•
LP160065	Sch 160	65	73	9.52	14.9	•
LP040080	Sch 40 / STD	80	88.9	5.49	11.29	•
LP080080	Sch 80 / XS	80	88.9	7.62	15.27	•
LP160080	Sch 160	80	88.9	11.12	21.32	•
LP040090	Sch 40 / STD	90	101.6	5.74	13.57	•
LP040100	Sch 40 / STD	100	114.3	6.02	16.07	•
LP080100	Sch 80 / XS	100	114.3	8.56	22.32	•
LP160100	Sch 160	100	114.3	13.48	33.51	•
LP040125	Sch 40 / STD	125	141.3	6.55	21.77	•
LP080125	Sch 80 / XS	125	141.3	9.52	30.94	•
LP040150	Sch 40 / STD	150	168.3	7.11	28.26	•
LP080150	Sch 80 / XS	150	168.3	10.97	42.56	•
LP040200	Sch 40 / STD	200	219.1	8.11	42.55	•
LP080200	Sch 80 / XS	200	219.1	12.7	64.4	•
LP040250	Sch 40 / STD	250	273.1	9.27	60.29	•
LP040300	Sch 40	300	323.9	10.31	73.78	•

PIPE


BLACK PIPE

Black Pipe - No Coating - Plain End Med & Heavy C250 AS1074, Ex-Light & Light C350 AS1163					
Code	Width W	Width W	Thickness T	Approx Weight	Length 6.5m
PBMPE015	15NB	21.3	2.6	1.21	•
PBMPE020	20NB	26.9	2.6	1.56	•
PBHPE020	20NB	26.9	3.2	1.87	•
PBLPE025	25NB	33.7	2.6	1.99	•
PBMPE025	25NB	33.7	3.2	2.41	•
PBHPE025	25NB	33.7	4	2.94	•
PBLPE032	32NB	42.4	2.6	2.55	•
PBMPE032	32NB	42.4	3.2	3.1	•
PBHPE032	32NB	42.4	4	3.8	•
PBLPE040	40NB	48.3	2.9	3.25	•
PBMPE040	40NB	48.3	3.2	3.57	•
PBHPE040	40NB	48.3	4	4.38	•
PBLPE050	50NB	60.3	2.9	4.11	•
PBMPE050	50NB	60.3	3.6	5.03	•
PBHPE050	50NB	60.3	4.5	6.19	•
PBMPE065	65NB	76.1	3.6	6.43	•
PBHPE065	65NB	76.1	4.5	7.93	•
PBMPE080	80NB	88.9	4	8.37	•
PBHPE080	80NB	88.9	5	10.3	•
PBMPE090	90NB	101.6	4	9.63	•
PBHPE090	90NB	101.6	5	11.9	•
PBMPE100	100NB	114.3	4.5	12.2	•
PBHPE100	100NB	114.3	5.4	14.5	•
PBMPE125	125NB	139.7	5	16.6	•
PBHPE125	125NB	139.7	5.4	17.9	•
PBMPE150	150NB	165.1	5	19.7	•
PBHPE150	150NB	165.1	5.4	21.3	•



PIPE

PRIMED PIPE





Primed Pipe - Painted Red - Plain End AS1074 C250

Code	NB	OD	WT	Weight	Length 6.5m
PPMPE015	15NB	21.3	2.6	1.21	•
PPMPE020	20NB	26.9	2.6	1.56	•
PPMPE025	25NB	33.7	3.2	2.41	•
PPMPE032	32NB	42.4	3.2	3.1	•
PPMPE040	40NB	48.3	3.2	3.57	•
PPLPE050	50NB	60.3	2.9	4.11	•
PPMPE050	50NB	60.3	3.6	5.03	•
PPMPE065	65NB	76.1	3.6	6.43	•
PPLPE080	80NB	88.9	3.2	6.76	•
PPMPE080	80NB	88.9	4	8.37	•
PPMPE100	100NB	114.3	4.5	12.2	•
PPMPE125	125NB	139.7	5	16.6	•
PPMPE150	150NB	165.1	5	19.7	•

PIPE

GALVANIZED PIPE

Galvanised Pipe - Plain End AS/NZS 1163 Ex-Light & Light C250 Medium & Heavy C250 1074					
Code	NB	OD	WT	Approx Weight	Length 6.5m
PGLPE015	15NB	21.3	2	1	•
PGMPE015	15NB	21.3	2.6	1.24	•
PGXLPE020	20NB	26.9	2	1.28	•
PGLPE020	20NB	26.9	2.3	1.44	•
PGMPE020	20NB	26.9	2.6	1.6	•
PGHPE020	20NB	26.9	3.2	1.92	•
PGXLPE025	25NB	33.7	2	1.62	•
PGLPE025	25NB	33.7	2.6	2.05	•
PGMPE025	25NB	33.7	3.2	2.47	•
PGHPE025	25NB	33.7	4	3	•
PGXLPE032	32NB	42.2	2	2.07	•
PGLPE032	32NB	42.2	2.6	2.63	•
PGMPE032	32NB	42.4	3.2	3.18	•
PGHPE032	32NB	42.4	4	3.87	•
PGXLPE040	40NB	48.3	2.3	3.33	•
PGLPE040	40NB	48.3	2.9	3.33	•
PGMPE040	40NB	48.3	3.2	3.65	•
PGHPE040	40NB	48.3	4	4.46	•
PGXLPE050	50NB	60.3	2.3	3.4	•
PGLPE050	50NB	60.3	2.9	4.21	•
PGMPE050	50NB	60.3	3.6	5.14	•
PGHPE050	50NB	60.3	4.5	6.3	•
PGXLPE065	65NB	76.1	2.3	4.33	•
PGLPE065	65NB	76.1	3.2	5.89	•
PGMPE065	65NB	76.1	3.6	6.56	•
PGHPE065	65NB	76.1	4.5	8.07	•
PGXLPE080	80NB	88.9	2.6	5.7	•
PGLPE080	80NB	88.9	3.2	6.92	•
PGMPE080	80NB	88.9	4	8.53	•
PGHPE080	80NB	88.9	5	10.5	•
PGLPE090	90NB	101.6	3.2	7.95	•
PGMPE090	90NB	101.6	4	9.81	•
PGHPE090	90NB	101.6	5	12.1	•
PGLPE100	100NB	114.3	3.6	10	•
PGMPE100	100NB	114.3	4.5	12.4	•
PGHPE100	100NB	114.3	5.4	14.7	•
PGLPE125	125NB	137.9	3.5	12	•




PIPE

GALVANIZED PIPE


Galvanised Pipe - Plain End AS/NZS 1163 Ex-Light & Light C250 Medium & Heavy C250 1074 (continued)

Code	NB	OD	WT	Approx Weight	Length 6.5m
PGMPE125	125NB	139.7	5	16.9	•
PGHPE125	125NB	139.7	5.4	18.1	•
PGLPE150	150NB	165.1	3.5	14.3	•
PGMPE150	150NB	165.1	5	20	•



Galvanised Pipe - Swaged One End AS/NZS 1163 Ex-Light & Light C250

Code	NB	OD	WT	Approx Weight	Length 6.5m
PGLSW025	25NB	33.7	2.6	2.05	•
PGLSW032	32NB	42.2	2.6	2.63	•
PGLSW040	40NB	48.3	2.9	3.33	•
PGLSW050	50NB	60.3	2.9	4.21	•



Galvanised Pipe - Screwed and Socketed AS1074 Medium C250

Code	NB	OD	WT	Approx Weight	Length 6.5m
PGMSS015	15NB	21.3	2.6	1.24	•
PGMSS020	20NB	26.9	2.6	1.6	•
PGMSS025	25NB	33.7	3.2	2.47	•
PGMSS032	32NB	42.4	3.2	3.18	•
PGMSS040	40NB	48.3	3.2	3.65	•
PGMSS050	50NB	60.3	3.6	5.14	•
PGMSS065	65NB	76.1	3.6	6.56	•
PGMSS080	80NB	88.9	4	8.53	•
PGMSS100	100NB	114.3	4.5	12.4	•
PGMSS125	125NB	139.7	5	16.9	•
PGMSS150	150NB	165.1	5	20	•

