

IPS WELD-ON & +GF+ Tangit

SOLVENT CEMENTS, PRIMERS & COMPOUNDS

IPS WELD-ON is the industry leader, offering the most complete line of solvent cements commercially available. Each WELD-ON formulation has been developed for a specific application.

Asmuss recommend the use of the Weld-On range of cements with the following piping systems:

PVC Schedule 40 and 80 Piping Systems

- CPVC Schedule 80 Piping Systems
- PVC Metric PN16 piping Systems
- PVC AS/NZS Pressure and Non-Pressure Piping Systems

Please contact our sales team for assistance in selecting the correct solvent cement and primer for your application.

Related Documents:

Asmuss Machines and Tooling Catalogue
The Science of Solvent Cement

Asmuss offers Weld ON IPS Solvent Cement Training Courses. We recommend all installers using IPS or Tangit Solvent Cement have training before use.

PACK SIZES		
125/118ml	24 units	
250/237ml	24 units	
500/473ml	12 units	
1LT/946ml	12 units	
1 Gal/3780ml	6 units	

PRIMERS			
	Code	Size	
IPS P-68 Clear Primer	IPSP-68/125	118ml	
	IPSP-68/250	237ml	
	IPSP-68/500	473ml	
WELD-ON	IPSP-68/1LT	946ml	
P-68 " PRIMER	IPSP-68/1GAL	3.785L	
Clear, fast acting primer for both P\	/C and CPVC in a	II sizes.	
IPS P-70 Purple Primer	IPSP-70/250	237ml	
-	IPSP-70/500	473ml	
	IPSP-70/1LT	946ml	
	IPSP-70/1GAL	3.785L	
Purple, very fast acting and aggressive primer for both PVC and CPVC in all sizes. P-70 primer is recommended when installing CPVC and PVC piping systems for chemical applications.			
IPS P-75 Wet & Dry Primer	IPSP-75/500	473ml	
*This primer is to be used with	IPS 725 cement of	nly.	

711 PVC CEMENT*			
Code Size			
		237ml	
IPS 711 PVC Heavy Bodied	IPS711/250 IPS711/500	237mi 473ml	
Solvent Cement	IPS711/300	946ml	
	IPS711/1GAL	3.785L	
Grey, heavy bodied, medium settin PVC. (SCH80, Metric, ASNZS) pipe i to 315mm.	n larger diameter		
Cement has gap filling properties,		allel fit.	
724 CPVC/PVC - INDUSTR	CEMENT		
	Code	Size	
IPS 724 PVC & CPVC	IPS7240/500	473ml	
Heavy Bodied Solvent Cement	IPS7240/1LT	946ml	
Orange, heavy bodied, medium s cement for chemical applications in 724 Grey Cement has been phased Orange Ceme	sizes through to 3 out and replaced	300mm.	
Cement has gap filling properties,		allel fit.	
719 PVC CEI	MENT*		
	Code	Size	
IPS 719 PVC Extra Heavy Bodied	IPS719/1LT	946ml	
Solvent Cement	IPS719/1GAL	3.785L	
MELD-ON 719-PVC MUSTRAL			

Grey, extra heavy bodied, slow setting, grey PVC cement suitable for AS/NZS PVC pipe up to 710mm. Cement has gap filling properties, suitable for a parallel fit.

43

IPS WELD-ON & +GF+ Tangit

SOLVENT CEMENTS, PRIMERS & COMPOUNDS

700 PVC CEMENT			
	Code	Size	
<section-header></section-header>	IPS700/125 IPS700/250 IPS700/500 IPS700/1LT IPS700/1GAL	118ml 237ml 473ml 946ml 3.785L	
Clear, regular bodied, fast setting, PVC cement for AS/NZS PVC			

Clear, regular bodied, tast setting, PVC cement for AS/NZS PVC pipe of all classes and pressures through to 100mm. *Not suitable for SCH80 Pipe

705 PVC CEMENT		
	Code	Size
IPS 705 PVC Medium Bodied	IPS705/125	118ml
Solvent Cement	IPS705/250	237ml
	IPS705/500	473ml
	IPS705/1LT	946ml
	IPS705/1GAL	3.785L

Grey, medium bodied, fast setting, PVC cement for both AS/NZS PVC pipe and PVC Schedule 80 pipe through to 100mm.

de AL/125 AL/250 AL/500	Size 118ml 237ml 473ml
AL/250	237ml
.,	201111
AL/500	473ml
enized Tef	lon®
012	12mm
	e duty pipe enized Tef molten me

SPECIAL APPLICATIONS Code Size IPS725/500 473ml IPS 725 Wet & Dry **PVC Solvent Cement** IPS735/125 118ml IPS 735 Wet 'N Fast **PVC Extremely Fast Setting** IPS735/250 237ml Solvent Cement IPS735/500 473ml IPS735/1LT 946ml IPS735/1GAL 3.785L WELD+ON Blue, medium bodied, extremely fast setting, blue PVC cement for AS/NZS PVC pipe of all classes and pressures through to 100mm, when quick line pressurisation is required. IPS747/500 473ml **IPS 747 Pool & Spa Cement** WELDON IPS180/40Z 4oz Weld-On® 810™ (A & B) Kit IPS180/500 473ml

Two-component, high strength, low VOC reactive adhesive. Product can withstand very high pressure and is high impact resistant. Great for repairing cracks or leaky pipe valves and fittings. It has excellent gap-filling property which is ideal for fabricating fittings and joining saddles to pipe. Also good for bonding large diameter PVC & CPVC pipe and fittings.

TANGIT CEMENT & PRIMER		
	Code	Size
Tangit Solvent Cement	799298001 799298003	250gm 1L
Tangit ABS / CPVC / PVC Cleaner	799298010	1L
Tangit PVC / CPVC DTX Special Cement	799298031	500ml



IPS WELD-ON & +GF+ Tangit

SOLVENT CEMENTS, PRIMERS & COMPOUNDS

DYTEX CEMENT & PRIMER		
	Code	Size
Dytex PVC / CPVC Solvent Cement	799298116	500ml
HEFF HEFF HEFF HEFF HEFF HEFF HEFF HEFF		
Dytex PVC / CPVC Cleaner	799298117	500ml
+CF+		

TANGIT/DTX/DYTEX ACCESSORIES			
	Code	Size	
Round Bush	799299001 799299002	6 - 10mm 12 - 32mm	
Flat Brush	799299003 799299004	40 - 63mm 75- 225mm	
Tangit ABS/CPVC/PVC Solvent Cement Cap	799298028		

TANGIT RAPID		
	Code	Size
Tangit Rapid 50ml Kit (16-140mm)	799302043	50ml
and 2 plastic brushes		
Tangit Rapid 400ml Kit	799302007	400ml
(110-400mm)		
6 cartridges, 12 mixers and 2 plastic brushes		

TANGIT RAPID ACCESSORIES		
	Code	Size
Tangit Rapid Dispenser Gun 50ml	799302011	16 - 140mm
T		
Tangit Rapid Dispenser Gun 400ml	799202013	110 - 400mm
X		
Tangit Rapid Plastic Brush	799302021	3⁄8"
	799302022	1"
Tangit Rapid Mixers 50 ml	799302032	x30
	799302032/S	Single
Tangit Folding Ruler with	799302036	16-400mm
Insertion Depth		

ACCESSORIES		
	Code	Size
Weld-On Roller	IPS6020	4"
	IPS7020	7"
Cap Dauber	IPSDP-75	³ / ₄ -1 ¹ / ₂ "
To Suit Pipe PT	IPSDP-150	1½ -3"
Cap Dauber	IPSDQ-75	³ / ₄ -1 ¹ / ₂ "
To Suit Pipe QT	IPSDQ-150	1½ -3"
Super Dauber	IPSSB-75	³ ⁄ ₄ - 1 ¹ ⁄ ₂ "
	IPSSB-150	1½ - 3"
Super Swab	IPSSS-Q/G	4 - 8"

TOOLS RANGE		
	Code	Size
Pipe Cutter	RITMOCUTTER/063	6 - 63mm
	RITMOCUTTER/140	50 - 140mm
	RITMOCUTTER/160	100 - 160mm
	RITMOCUTTER/315	180 - 315mm
Pipe fitting Puller	IPSP-0412	4-12"
Bevellers	RITMOSME1	25 - 160mm
	RITMOSME2PLUS	40 - 315mm
Deburring Tool	DEB-2	1⁄2 - 2"

Refer to the Asmuss Machines & Tooling catalogue for more information.